

# SUIT LAB 3

BAN'20

\*GROAN\* IT'S ALREADY 11PM  
AND I'M NOWHERE NEAR  
DONE WITH THIS...

I SHOULDN'T HAVE BEEN  
GOOFING OFF WHILE THE BOSS  
WAS WATCHING...

This is the last time I catch you playing  
on the company machines! I want the full  
final firmware dump on my server by  
tomorrow morning or you're **\*FIRED\***

THIS JOB SOUNDS LIKE FUN,  
UNTIL YOU'RE STUCK ON THE BOTTOM  
OF THE WORK CHAIN DOING BORING  
ASS FIRMWARE BUILDS UGH

EVERYONE WENT HOME AND I'M  
NOT EVEN AUTHORIZED TO TRY  
THINGS FIRST-HAND...

HUH?

HMM..

LOOKS LIKE I'VE  
JUST BEEN PROMOTED...

reading...

identification  
accepted

welcome, NATHAN  
EARNSTONE

please step into  
the suit assembly  
to proceed

HEHE, TIME  
TO DO SOME QA

enumerating  
primary servos  
...

enumerating  
sealant reserves  
...

HMMF...

generating new  
random key  
...

new key generated

session seed:  
07AZG88GN60FQHW6V0SU  
DSPOIMZKE4U0QB23MZZH  
2XWMT9XD1MVTWZQHL6QF



pressurizing  
...

...done

HMMM, NOT BAD...  
FITS LIKE A GLOVE!

RE'D REALLY DID PUT A LOT OF  
EFFORT INTO THESE! GUESS THE  
COMPANY'S REPUTATION IS WELL  
DESERVED, HEHEH

**\*MOAN\***

THE SUIT  
IS SO TIGHT AROUND  
THE CROTCH, I CAN  
FEEL MY BONER  
PRESSING AGAINST  
THE OUTER  
SHELL...

AND YET IT FEELS SO  
NATURAL AND FLEXIBLE, LIKE  
I'M WEARING NOTHING AT ALL!



**\*HUFF\*** TIME TO  
FULLY POWER THIS  
GOOD GIRL UP~





reading EEPROM  
...

firmware loaded  
successfully

build: v0.11.8rev3  
Thu 2466/04/22



booting up SuitOS 3  
...

please remain still



starting up coolant  
pump system  
...

initializing audio  
I/O subsystems  
...

isolating ambient  
audio feedback  
sources  
...

starting vitals  
monitoring service  
...  
starting remote access  
control service  
...

GOSH, THIS FEELS  
HEAVENLY....~ I COULD  
SERIOUSLY GET USED  
TO THIS...

FATAL: "???????"  
is not a member of  
"lp\_consoleBoilPla  
te"@serv.bin+0x00  
306fed  
remove EEPROM to  
abort rebooting

UH OH!

WELP... PLAYTIME'S OVER.  
TIME TO GET BACK TO WORK

HMP, HNG!

\*GRUNT\*

\*HUFF\* THIS...  
SERIOUSLY IS A BAD  
DESIGN CHOICE!

W...  
WHAT WAS THAT  
NOISE?

```
reading EEPROM  
...
```

```
FATAL: File "", line 2  
unexpected EOF ^  
"boot FAILED" (SIGSEGV) vio  
lation @c.elf+0x000000fe  
remove EEPROM to abort  
rebooting [9...]
```

OH... FUCK

THE CHIP SNAPPED IN  
HALF AND IT'S STUCK  
INSIDE, I CAN'T PULL  
IT OUT!

...!

```
boot core corrupted; reloadi  
ng last known configuration  
...  
downloading [137/823 KB]
```

OH NO

```
booting up SuitOS 2.6  
...  
Welcome, sister.  
Commencing subordination...
```

OH NO OH NO NO  
NO NO NONONONO

Expanding control  
probes...

Sealing vocal and nasal  
orifices...

OH, NO-GHCMPLGLK

M-MHMM...!

I NEED TO REMOVE  
THE FACEPLATE BEFORE  
IT -

Pressurizing sealant  
gel mixture...

Injecting...

!!

HMHMPPG!

Flash-curing...

Error: visor misaligned.  
Increasing clamp magnets  
strength by 250 percent.

GLK-!



THIS IS BAD!  
I GOTTA GET OUT OF THE SUIT  
BEFORE I RUN INTO MORE BUGS

Abort booting sequence?  
[y/n]

Error: can not abort  
initial boot sequence

attempting emergency asse  
mbly removal

FATAL: no key UUID found  
for current user "?????"

SHIT!  
OK, CALM DOWN...  
THERE'S GOTTA BE A  
WAY TO MANUALLY  
REMOVE IT...



HMNM!  
HMNNP!

ACCESS DENIED  
NOT A MEMBER  
OF ENGINEE-  
RING

A POWER  
WRENCH!  
THE ASSEMBLY  
DESK SHOULD  
HAVE ONE!

DAMNIT!!  
THE PLEXIGLASS  
ISN'T TOO THICK,  
MAYBE I CAN-



Adrenaline spike  
detected.  
Commencing corrective  
measures.

Deploying visual aid  
and auditory soothing.

ERROR: file "" not found,  
loading default file "amb\_  
hypn\_81.snd"

Relax, sister...

Deploying distraction.  
...

Current strength  
level: 5 percent.

NGHHN... I  
HAVE TO RESIST IT...  
I MUST FIGHT IT!...  
STAY FOCUSED!

!!!!!!!

HNMP-HMMHM!!

S-SHIT... IT'S S-  
SO DEEP...!

Willpower subsided,  
relaxation successful.

Coating internal  
surfaces...

Increasing power...

Current strength  
level: 15 percent.

Current strength  
level: 30 percent.

THE OLD BUG...! IT'S  
S-SUPPOSED TO DIMINISH IN  
INTENSITY AS THE USER GRADUALLY  
GIVES IN... BUT INSTEAD IT GOES UP

Deploying subduing  
aeroagent.

Aphrodisiac concentration:  
15 percent.

I C-CAN'T  
CONCENTRATE...

Willpower subsided,  
relaxation successful.

Increasing power...



T-THE EMERGENCY  
SHUTDOWN!! I FORGOT THEY  
HAD US PUT ONE UP!

Adrenaline spike detected,  
relaxation failed.

Increasing power...

Current strength  
level: 55 percent.

Willpower spike detected.

Aphrodisiac concentration:  
30 percent.

Please sister, do not  
fight the relaxation.

Surrender your mind  
to the embrace.

S-SO....  
CLOSE....!

Increasing power...

Current strength level:  
85 percent.

Warning: user's orgasm  
imminent.

Deploying chastity measures.

!!

HNNNNHM-MMM... MMH!!!

Increasing power...

Current strength level:  
99 percent.

Willpower subsided,  
relaxation successful.

Aphrodisiac concentration:  
75 percent.

I-I C-CANT...

I-I'M...  
I'M... GONNA  
B-BREAK...

Increasing power...

Current strength level:  
105 percent.

WARNING: going above 100  
might result in undefined  
behaviour  
press any key to abort  
...

CLICK

Interface request  
acknowledged.

Commencing user  
transfer process.

???

!?

User successfully  
restrained.

Operating panel ready for  
procedure DS83B ("Drone  
setup phase 2")

!!

Please remain still  
while the assembly  
is being transferred.

Commencing coating  
process.

Selected skin:  
drone\_default



Applying sealant...

Please remain still  
while the sealant  
is being applied.

BEEP!

OH F-FUCK

Coating complete.

Applying remote  
control interface.

Initializing  
remote control...

Status: awaiting  
orders

Procedure DS83B  
complete.

ERROR: "?????" is not  
a valid queueable order

IC-CAN'T  
MOVE...

Sending drone to  
waiting zone.

WARNING: no valid  
waiting zone  
specified  
defaulting to long  
term storage bay

WARNING: no valid  
release date set  
defaulting to minimum  
period  
...

FATAL: no valid minimum  
period set  
please set the timestamp  
in format mm-dd-hh:mm:ss

HM-MMM!!

NGH.. NO...  
S-STOP..!

LATER ...

JEREMY, I'M GOING HOME. HOPE YOU HAVE FUN WITH YOUR OVERTIME!

YOU BETTER BE DONE WITH IT BY THE TIME I-



?!

WHAT THE...? THERE'S NO ONE HERE!





I SWEAR TO GOD,  
I'M GONNA FIRE THAT GUY  
THE MOMENT I SEE HIM

...



HM-  
HMMM!  
HMMPMHM!!

Attempt at communication  
detected.  
Securing vocal cords.

H- .....!!!



HMM...

WHAT DO WE  
HAVE HERE...

...

HEHE... I'D SAY JEREMY  
\*HAS\* BEEN WORKING HARD  
AFTER ALL...

I SEE HE'S PUT THE FRAME INTO  
TESTING MODE, I WOULDN'T WANT TO  
INTERRUPT THE PROCESS.

HE DESERVES A BIT OF  
SLACK... HELL, MAYBE I'LL GIVE  
HIM A SMALL RAISE ONCE I SEE HIM.

THAT IS TO SAY,  
\*IF\* I SEE HIM AROUND...

...

WELL THEN...  
I THINK I'M GONNA GET  
THAT WEEKEND OFF AFTER  
ALL...

I'LL MAKE SURE THE  
OTHERS ON QA DON'T  
ACCIDENTALLY COME IN AND  
DISTURB THE PROCESS.

*Adrenaline spike detected.  
Commencing corrective measures.  
Increasing power...*

SEE YA ON  
MONDAY.~

*Adrenaline spike detected.  
Deploying sedative gas.*

*Adrenaline levels raised.  
Aphrodisiac concentration  
99 percent.*

*Adrenaline spike detected,  
relaxation failed.*

*Increasing power...*

*Current strength  
level: 205 percent.*

END...?